



AUDIOSOUNDELECTRONICS















CODE: ASE-12-03-09

VERSION: 04

PAGE: 1/20

PRICE LIST ICANTEK

Picture	Code	Model No.	Specification	ASE
MINI DOME FIXED				
		220	Fixed Dome Digital Network Camera Full D1 resolution with True De-Interlace Filter produces brilliant, artifact free video. Image Sensor Module (CCD, Dual CCD, CMOS) 270K, TV Lines 380, Len Fixed 3.8mm	\$ 369.50
		220+	Fixed Dome Digital Network Camera Full D1 resolution with True De-Interlace Filter produces brilliant, artifact free video. Image Sensor Module (CCD, Dual CCD, CMOS) 410K, TV Lines 480, Len Vari Focal 4-9mm	\$ 431.08
		220N	Fixed Dome Digital Network Camera Full D1 resolution with True De-Interlace Filter produces brilliant, artifact free video. Image Sensor Module (CCD, Dual CCD, CMOS) 410K, TV Lines 550, Len Vari Focal 4-9mm	\$ 472.13
		222++	Dome Type MPEG4 Network Camera. Image Sensor Module 410K, TVL 550, Len Vari Focal SCVD0312ASIR (1/3" 3.3-12mm DC/F1.2), Len Fixed Selectable (3.6, 4.3, 6.0, 8.0mm).	\$ 492.66
		222SB	Dome Type MPEG4 Network Camera. Image Sensor Module 410K Sony WDR, TVL 520, Len Vari Focal SCVD0312ASIR (1/3" 3.3-12mm DC/F1.2), Len Fixed Selectable (3.6, 4.3, 6.0, 8.0mm).	\$ 595.30
		222PB	Dome Type MPEG4 Network Camera. Image Sensor Module 410K Pixim CMOS WDR, TVL 480, Len Vari Focal SCVD0312ASIR (1/3" 3.3-12mm DC/F1.2), Len Fixed Selectable (3.6, 4.3, 6.0, 8.0mm).	\$ 605.56



AUDIOSOUNDELECTRONICS















CODE: ASE-12-03-09

VERSION: 04

PAGE: 2/20

PRICE LIST ICANTEK

Picture	Code	Model No.	Specification	ASE
BOX CAMERA				
		230	Digital Network Camera. Full D1 resolution with True De-Interlace Filter produces brilliant, artifact free video. Image Sensor Module (CCD, Dual CCD, CMOS) 270K, TV Lines 380, Lens Fixed Recommend (6.0mm).	\$ 348.97
		230N	Digital Network Camera. Full D1 resolution with True De-Interlace Filter produces brilliant, artifact free video. Image Sensor Module (CCD, Dual CCD, CMOS) 410K, TV Lines 480, Lens Fixed Recommend (6.0mm), Day & Nigh.	\$ 390.02
		232++	High-Definition MPEG4 IP Cameras. Image Sensor Module 410K, TVL 550, Lens Fixed Recommend (8.0mm), 3X Zoom Optional.	\$ 451.61
		232SB	High-Definition MPEG4 IP Cameras. Image Sensor Module 410K Sony WDR, TVL 520, Lens Fixed Recommend (8.0mm), 3X Zoom Optional.	\$ 554.24
		232PB	High-Definition MPEG4 IP Cameras. Image Sensor Module 410K Pixim CMOS WDR, TVL 480, Lens Fixed Recommend (8.0mm), 3X Zoom Optional.	\$ 574.77
SPD OUTDOOR				
		240-18S	Outdoor IP Digital Speed Dome. This fully featured IP Speed Dome, delivers the best of both worlds, performance, and affordability. 18X zoom, Image Sensor Module SONY electronics, TV Lines 480, Day & Night.	\$ 1,806.42















AUDIOSOUNDELECTRONICS



CODE: ASE-12-03-09
 VERSION: 04
 PAGE: 3/20

PRICE LIST ICANTEK

Picture	Code	Model No.	Specification	ASE
		240-23D	Outdoor IP Digital Speed Dome. This fully featured IP Speed Dome, delivers the best of both worlds, performance, and affordability. Image Sensor Module SAMSUNG Tech, TV Lines 520, Zoom 23X.	\$ 1,570.35
		240-26S	Outdoor IP Digital Speed Dome. This fully featured IP Speed Dome, delivers the best of both worlds, performance, and affordability. Image Sensor Module SONY 26S, TV Lines 480, Zoom 26X, Day & Night.	\$ 2,011.70
		240-30D	Outdoor IP Digital Speed Dome. This fully featured IP Speed Dome, delivers the best of both worlds, performance, and affordability. Image Sensor Module SAMSUNG Tech, TV Lines 520, Zoom 30X.	\$ 1,775.63
		240-36S	Outdoor IP Digital Speed Dome. This fully featured IP Speed Dome, delivers the best of both worlds, performance, and affordability. Image Sensor Module SONY, TV Lines 480, Zoom 36X, Day & Night.	\$ 2,175.92
SPD INDOOR				
		250-18S	Indoor IP Digital Speed Dome. This fully featured indoor mount IP Speed Dome delivers the best of both worlds, performance, and affordability. Image Sensor Module SONY, TV Lines 480, Zoom 18X, Day & Night.	\$ 1,519.04
		250-23D	Indoor IP Digital Speed Dome. This fully featured indoor mount IP Speed Dome delivers the best of both worlds, performance, and affordability. Image Sensor Module Samsung Techwin, TV Lines 520, Zoom 23X.	\$ 1,282.97



AUDIOSOUNDELECTRONICS















CODE: ASE-12-03-09

VERSION: 04

PAGE: 4/20

PRICE LIST ICANTEK

Picture	Code	Model No.	Specification	ASE
		250-26S	Indoor IP Digital Speed Dome. This fully featured indoor mount IP Speed Dome delivers the best of both worlds, performance, and affordability. Image Sensor Module SONY 26S, TV Lines 480, Zoom 26X, Day & Night.	\$ 1,724.31
		250-30D	Indoor IP Digital Speed Dome. This fully featured indoor mount IP Speed Dome delivers the best of both worlds, performance, and affordability. Image Sensor Module Samsung Techwin, TV Lines 520, Zoom 30X.	\$ 1,488.24
		250-36S	Indoor IP Digital Speed Dome. This fully featured indoor mount IP Speed Dome delivers the best of both worlds, performance, and affordability. Image Sensor Module Sony, TV Lines 480, Zoom 36X, Day & Night.	\$ 1,888.53
VANDAL DOME FIXED				
		260DC	Dual CCD Vandal IP Camera. This fully featured Dual CCD Vandal IP Camera delivers the best of both worlds, performance, and affordability. Image Sensor Module 410K Dual CCD, TV Lines 520/600, Lens Varifocal 4.0~9.0mm	\$ 790.31
		260DC+	Dual CCD Vandal IP Camera. This fully featured Dual CCD Vandal IP Camera delivers the best of both worlds, performance, and affordability. Image Sensor Module 410K Dual CCD, TV Lines 520/600, Lens Varifocal 9.0~22mm	\$ 831.36
		260H	Same iCanView260 with heater	\$ 790.31



AUDIOSOUNDELECTRONICS















CODE: ASE-12-03-09

VERSION: 04

PAGE: 5/20

PRICE LIST ICANTEK

Picture	Code	Model No.	Specification	ASE
		262++	Vandal-proof Fixed IP Camera. iCanView262 is standard PoE based vandal proof and weatherproof IP Camera for both indoor and outdoor environment. 410K CCD, 520 TV lines, Varifical lens	\$ 585.03
		262SB	Vandal-proof Fixed IP Camera. iCanView262 is standard PoE based vandal proof and weatherproof IP Camera for both indoor and outdoor environment. 410K, Sony WDR CCD	\$ 687.67
		262PB	Vandal-proof Fixed IP Camera. iCanView262 is standard PoE based vandal proof and weatherproof IP Camera for both indoor and outdoor environment. 410K, Pixim CMOS WDR	\$ 697.94
VANDAL MINI - SPD				
		270	Vandal Proof IP Digital Mini Speed Dome. This fully featured Vandal Proof mini IP Speed Dome delivers the best of both worlds, performance, and affordability. Image Sensor Module Samsung Techwin 10X, TV Lines 500.	\$ 954.53
		270H	Vandal Proof IP Digital Mini Speed Dome. This fully featured Vandal Proof mini IP Speed Dome delivers the best of both worlds, performance, affordability. Image Sensor Module Samsung Techwin 10X, TV Lines 500, with Heater.	\$ 985.32
WEATHER PROOF IR				
		284DC	Weatherproof IR Fixed IP Camera. MPEG4 based weatherproof IP Camera with newly designed 3-axis bracket and built-in junction box for both indoor and outdoor environment. Dual CCD, Vari-focal lens, 2.1mm ~ 11.0mm.	TBD



AUDIOSOUNDELECTRONICS















CODE: ASE-12-03-09

VERSION: 04

PAGE: 6/20

PRICE LIST ICANTEK

Picture	Code	Model No.	Specification	ASE
		284DC+	Weatherproof IR Fixed IP Camera. MPEG4 based weatherproof IP Camera with newly designed 3-axis bracket and built-in junction box for both indoor and outdoor environment. Dual CCD, Vari-focal lens, 9.0mm ~ 22.0mm.	TBD
		284DC++	Weatherproof IR Fixed IP Camera. MPEG4 based weatherproof IP Camera with newly designed 3-axis bracket and built-in junction box for both indoor and outdoor environment. Dual CCD, Vari-focal lens, 5.0mm ~ 80.0mm.	TBD
MINI-PT IR				
		290PT	High-Definition MPEG4 IP Cameras. The camera pan / Tilt surveillance for the night and IR LED, and built-in microphones and speakers. Image Sensor Module 270K, TV Lines 330, Day & Night, Lens Fixed 3.6mm	\$ 585.03
MEGAPIXEL				
		322	Mega Pixel IP Dome Camera. Is standard PoE based 2.0M pixel, multi-codec(H.264&MJPEG) mega pixel IP Camera for indoor environment. iCanView322 is very easy to install, and provides superior picture quality, Multi profile.	TBD
		332	Mega Pixel Box Camera. Is standard PoE based 2.0M pixel, multi-codec(H.264&MJPEG) mega pixel IP Camera for indoor environment. iCanView332 is very easy to install, and provides superior picture quality.	TBD
		362	Mega Pixel Vandal Proof Camera. Is standard PoE based 2.0M pixel, multi-codec(H.264&MJPEG) vandal proof mega pixel network camera. iCanView362 is very easy to install, and provides superior picture quality.	\$ 687.67

TBD: Not Available



AUDIOSOUNDELECTRONICS



CODE: ASE-12-03-09

VERSION: 04

PAGE: 7/20

PRICE LIST ICANTEK

Picture	Code	Model No.	Specification	ASE
		392	Mega Pixel Mini-PT IR. Image Sensor Module 2.0 Mega(CMOS)/1.3 Mega(CCD)	TBD
PORTABLE DVR				
		LCDVR	LightCamDVR. Is the most unique portable DVR. Current security and surveillance market need instant response to any kind of unpredictable events.	\$ 718.46
ACCESSORIES				
		iPOE ST	i-PoE Adapter. Proprietary PoE + Power adapter	\$ 41.06
		PLC ST	PLC Adapter. PLC module + Power adapter	\$ 92.37
		ICT5200	PLC Bridge. Commercial PLC Brdige	\$ 57.48
		POE CV	PoE Converter. Standard PoE (802.3af) converter	\$ 41.06



AUDIOSOUNDELECTRONICS















CODE: ASE-12-03-09

VERSION: 04

PAGE: 8/20

PRICE LIST ICANTEK

Picture	Code	Model No.	Specification	ASE
		iPOE JV	i-PoE Injector. Proprietary PoE injector	\$ 20.53
		PLC B	PLC Box Adapter. <PLC + PA> in special Box	\$ 112.90
		POE B	i-PoE Box Adapter. <i-PoE + PA> in special Box	\$ 61.58
KEYBOARD CONTROLLER				
		mD-CN3RI	Controller (Twist control)	\$ 472.13
		WTX-1200A	iCanTek offers a new keyboard controller by which user can manipulate PTZ cameras(speed domes) over IP network. User can utilize this keyboard controller with iCanTek's CMS, NVR-PRO.	\$ 390.02
BRACKETS & HOUSINGS				
		mD-100	Embedded mount bracket Kit	\$ 20.53



AUDIOSOUNDELECTRONICS















CODE: ASE-12-03-09

VERSION: 04

PAGE: 9/20

PRICE LIST ICANTEK

Picture	Code	Model No.	Specification	ASE
		mD-101M	Embedded mount bracket	\$ 36.95
		mD-401	Embedded Housing, plate , Eco ring	\$ 61.58
		mD-101	Indoor Embedded mount bracket for flush type	\$ 30.79
		mD-103	Outdoor housing with fan, heater and wall mount bracket IP66	\$ 287.39
		mD-104	Wall mount bracket	\$ 41.06
		mD-105S	Indoor/Outdoor Pipe mount bracket for SPD Dome	71,85



AUDIOSOUNDELECTRONICS















CODE: ASE-12-03-09

VERSION: 04

PAGE: 10/20

PRICE LIST ICANTEK

Picture	Code	Model No.	Specification	ASE
		mD-105M	Indoor/Outdoor Pipe mount bracket for Mini Dome	\$ 71.85
		mD-106S	Indoor/ Outdoor Gooseneck mount bracket	\$ 82.11
		mD-106M	Indoor/Outdoor Pipe mount bracket for SPD Dome	\$ 82.11
		mD-107	Indoor/Outdoor Pipe mount bracket for Mini Dome	\$ 61.58
		mD-108	Bracket adaptor for indoor	\$ 55.42
		mD-109	Outdoor Pole mount adaptor	\$ 61.58



AUDIOSOUNDELECTRONICS















CODE: ASE-12-03-09

VERSION: 04

PAGE: 11/20

PRICE LIST ICANTEK

Picture	Code	Model No.	Specification	ASE
		mD-110	Bracket adaptor for PTZ10	\$ 30.79
		mD-111	Adapting ring for mD-105 and mD-106	\$ 24.63
		mD-301	Ceiling bracket kits for indoor speed dome with Ceiling Cap (mD-303)	\$ 100.58
		mD-302	Wall bracket kits for Indoor Speed dome (with Ceiling Cap) (mD-303)	\$ 160.11
		mD-303	Indoor Ceiling Cap	\$ 32.84
		mD-304	Ceiling Bracket kits for outdoor speed dome with mD-306 (Outdoor Ceiling Cap)	\$ 82.11



AUDIOSOUNDELECTRONICS















CODE: ASE-12-03-09

VERSION: 04

PAGE: 12/20

PRICE LIST ICANTEK

Picture	Code	Model No.	Specification	ASE
		mD-305	Wall Bracket kits for outdoor speed dome	\$ 145.75
		mD-306	Ceiling Cap for Outdoor Speed dome	\$ 22.58
		mD-307	Junction box kits including PCB and Cable	\$ 100.58
		mD-308	Junction box only without PCB and Cable	\$ 71.85
		M-OHS	Outdoor housing for 290. Special 290 Outdoor housing	\$ 82.11
		M-OHL	Outdoor housing for 290. Special 290 Outdoor housing	\$ 88.27



AUDIOSOUNDELECTRONICS















CODE: ASE-12-03-09

VERSION: 04

PAGE: 13/20

PRICE LIST ICANTEK

Picture	Code	Model No.	Specification	ASE
		M-MB	Brackets for 290 (Outdoor type only). Outdoor housing mounting bracket	\$ 71.85
		M-CB	Brackets for 290 (Outdoor type only). Corner mounting bracket	\$ 6.16
POWER ADAPTER				
		PA-1	AC Power Adapter (24V)	\$ 22.58
		12V	DC Power adaptor(12V)	\$ 20.53
VIDEO SERVERS				
		512	Video Server Compact MPEG4 / ADPCM-PCM	\$ 307.91
		540	4 Chanel AV Server. This four channel AV Server supports Full D1 resolution coupled with a True De-Interlace Filter, producing brilliant, artifact free video.	\$ 636.35



AUDIOSOUNDELECTRONICS













PRICE LIST ICANTEK

CODE: ASE-12-03-09

VERSION: 04

PAGE: 14/20

Picture	Code	Model No.	Specification	ASE
RECORDING VIDEO SERVER				
		540R	The iCanServer540R is a 4CH network DVR server supporting MPEG-4 video, Quadplex functionality and D1 Resolution (704 x 480 NTSC, 704 x 576 PAL). Recording Video Server with Dual mode Streaming capability.	\$ 708.20
HYBRID RECORDING VIDEO SERVER				
		540RH	Another innovation from iCanTek! iCanServer540RH is world's first 8CH Hybrid Recording Video Server which offers the benefits of both works in a single device.	\$ 800.57
DECODER				
		710	iCanDecoder710 is a standalone MPEG4 decoder with audio for IP Cameras and video servers from iCanTek. It restores CVBS analog video and audio from IP video streams received from IP Cameras or video servers.	\$ 307.91
STANDALONE DVR				
		430L	MPEG4 4CH Triplex Standalone DVR Perfect for smaller applications, like retail, or SOHO (Small Office Home Office), MyDVR430L sports powerful features in a small package. 4 Ch low-end.	\$ 257.33
		830L	MPEG4 VIDEO, Multilanguage Support, DDNS Support, 8 CH low-end Audio/Video, Remote Control, Triplex, Built in Web Server, Remote Monitoring, Remote Playback, High Performance (120 fps Recording/Playback)	\$ 405.78



AUDIOSOUNDELECTRONICS















CODE: ASE-12-03-09

VERSION: 04

PAGE: 15/20

PRICE LIST ICANTEK

Picture	Code	Model No.	Specification	ASE
		1630	16CH Standalone Network DVR Perfect for smaller applications, like retail, or SOHO(Small Office Home Office), myDVR1630 supports powerful features in a small package. Recording Frame 120 (100P)	\$ 811.57
		434L	4CH H.264 Standalone Network DVR Perfect for smaller applications, like retail, or SOHO(Small Office Home Office), myDVR434L supports powerful features in a small package. State-of-the-art video encoding.	\$ 296.92
		834L	8CH H.264 Standalone Network DVR Perfect for smaller applications, like retail, or SOHO(Small Office Home Office), myDVR834L supports powerful features in a small package. State-of-the-art video encoding.	\$ 475.07
		1634L	16CH H.264 Standalone Network DVR Perfect for smaller applications, like retail, or SOHO(Small Office Home Office), myDVR1634L supports powerful features in a small package. State-of-the-art video encoding.	\$ 514.65
		4300	4CH Standalone Network DVR Perfect for smaller applications, like retail, or SOHO(Small Office Home Office), myDVR4300 Supports powerful features in a small package. State-of-the-art video encoding.	\$ 435.48
		8300	8CH Standalone Network DVR Perfect for smaller applications, like retail, or SOHO(Small Office Home Office), myDVR8300 Supports powerful features in a small package. State-of-the-art video encoding.	\$ 692.80













AUDIOSOUNDELECTRONICS



CODE: ASE-12-03-09
 VERSION: 04
 PAGE: 16/20

PRICE LIST ICANTEK

Picture	Code	Model No.	Specification	ASE
		16300	16CH Standalone Network DVR Perfect for smaller applications, like retail, or SOHO(Small Office Home Office), myDVR16300 Supports powerful features in a small package. State-of-the-art video encoding.	\$ 870.95
		CJ-1000	Keypad	\$ 615.83
		HD-16000	High Resolution Multi Viewer Box	\$ 3,079.13
HIGH SPD DOME CCTV CAMERA OUTDOOR				
		mD240-18S	myDome 240 (Outdoor) 18X Sony Zoom (Day/Night DSS) (F=1.4~3.0, f=4.1~73.8mm)	\$ 1,539.56
		mD240-23D	myDome 240 (Outdoor) 23X Samsung Zoom (Day/Night DSS) (F1.6,f=3.9~85.8mm)	\$ 1,324.02
		mD240-26S	myDome 240 (Outdoor) 26X Sony Zoom (Day/Night DSS) (F1.6~3.8,f=3.5~91.0mm)	\$ 1,744.84



AUDIOSOUNDELECTRONICS















CODE: ASE-12-03-09

VERSION: 04

PAGE: 17/20

PRICE LIST ICANTEK

Picture	Code	Model No.	Specification	ASE
		mD240-30D	myDome 240 (Outdoor) 30X Samsung Zoom (Day/Night DSS) (F= 1.6 ~ 3.4 , f=3.3 to 99mm)	\$ 1,529.30
		mD240-36S	myDome 240 (Outdoor) 36X Sony Zoom (Day/Night DSS) (F=1.6 ~ 4.5 , f=3.4 to 122.4mm)	\$ 1,868.00
HIGH SPD DOME CCTV CAMERA INDOOR				
		mD250-18S	myDome 250 (Indoor) 18X Sony Zoom (Day/Night DSS) (F=1.4~3.0, f=4.1~73.8mm)	\$ 1,252.18
		mD250-23D	myDome 250 (Indoor) 23X Samsung Zoom (Day/Night DSS) (F1.6,f=3.9~85.8mm)	\$ 1,036.64
		mD250-26S	myDome 250 (Indoor) 26X Sony Zoom (Day/Night DSS) (F1.6~3.8,f=3.5~91.0mm)	\$ 1,457.45
		mD250-30D	myDome 250 (Indoor) 30X Samsung Zoom (Day/Night DSS) (F= 1.6 ~ 3.4 , f=3.3 to 99mm)	\$ 1,221.39



AUDIOSOUNDELECTRONICS














CODE: ASE-12-03-09

VERSION: 04

PAGE: 18/20

PRICE LIST ICANTEK

Picture	Code	Model No.	Specification	ASE
		mD250-36S	myDome 250 (Indoor) 36X Sony Zoom (Day/Night DSS) (F=1.6 ~ 4.5 , f=3.4 to 122.4mm)	\$ 1,580.62
MINI SPD CCTV CAMERA				
		mD270-10	myDome270 is 10X zoom Mini SPD camera with high PTZ operation. The camera can be used both indoor and outdoor environment. Versatile optional items such as day & night, keyboard controller, bracket and, heater are supported.	\$ 677.41
SOFTWARE				
		iNVR	iNVR is an entry level CMS(centralized management Software) designed to manage 16 channels of video streams from IP Cameras, video servers, and standalone digital video recorders. 16 ch x 5 switching	FREE
		myNVR	myNVR is a remote management software for standalone network DVR series. Users can actually set up an entry level IP surveillance system with myNVR. 16 ch x 5 switching	FREE
		NVR-PRO	NVR-PRO is a CMS(centralized management software) that manages up to 64 channels of video streams from IP Cameras, video servers, and standalone digital video recorders. 64 channel	FREE
		Web Browser Viewer	1 or 4 channel	FREE



AUDIOSOUNDELECTRONICS














CODE: ASE-12-03-09

VERSION: 04

PAGE: 19/20

PRICE LIST ICANTEK

Picture	Code	Model No.	Specification	ASE
		PDA Viewer	Perfect for smaller applications, like retail, or SOHO(Small Office Home Office), myDVR16300 Supports powerful features in a small package. State-of-the-art video encoding. 1 or 4 /16 channel	FREE
		iCMS	iCMS is an optimal CMS solution for mid & large scale enterprise level. It supports multi-window mode making it possible to manage more than 500 channels(64x8) simultaneously. 64 ch/monitor (up to 300)	\$ 1,026.38
		DDNS Server	DDNS Server is a web-based management server that enables IP Camera users with dynamic IP system To access the camera by a domain address supplied by this management server. IP, Video Server, DVR	ASK FOR DETAILS
		SRS Server	SRS Server is a scalable and flexible framework for Inherent Network video surveillance service which can Extend its coverage into WAN beyond LAN.	ASK FOR DETAILS
		3G Mobile Server	3G Mobile Server enables those mobile phone users to access IP Cameras on IP network by bridging 3G Mobile network and conventional IP network. Users can access to IP Camera on IP network through video call.	TBD
		Active X		FREE



AUDIOSOUNDELECTRONICS




CODE: ASE-12-03-09

VERSION: 04

PAGE: 20/20

PRICE LIST ICANTEK

Picture	Code	Model No.	Specification	ASE
		Http streaming		FREE

CONDITIONS:

1. Price are subject to change without notice
2. Not responsible for typographical, technical or descriptive errors of products herein